

RIB SLIPOVER

SADNES GARN

DEN NORSKE
GARNFABRIKKEN
SIDEN 1888



RIB SLIPOVER

#PATENTSLIPOVER / NO 2 / INSTRUCTION: OLAUG BEATE BJELLAND
KNITTING SKILL LEVEL ** EASY

SIZE

(2) 4 (6) 8 (10) 12 yrs

MEASUREMENTS

Chest width: (67) 74 (80) 86 (93) 99 cm

Length: approx (35) 38 (42) 46 (50) 52 cm, or suitable length

All measurements are for the finished garment = personal body measurements + movement allowance. The measurements are all according to given tension.

THE GARMENT

Work slipover with rib pattern in rnds from hem up until underarms. Divide work at sides for armholes and at middle front for v-neck. Cont each part separately.

Work neckband and armhole bands.

YARN

SISU (80 % wool, 20 % nylon, 50 g = 175 m)

ALTERNATIVE YARN

MINI ALPAKKA, MANDARIN PETIT, ALPAKKA SILKE, TYNN MERINOULL, BABYULL LANETT

NOTE: If alternative yarn is chosen be sure to check the yardage on label. The image of garment might change by using alternative yarn.

YARN REQUIRED

Lt.beige melange #2650: (4) 4 (5) 5 (6) 7 balls

SUGGESTED KNITTING NEEDLES

Circular and double pointed 2.5 mm and 3 mm

Needle sizes are only suggestions. If your knitting shows tighter tension, use thicker needles, for looser tension use thinner needle

TENSION

25 sts rib pattern with 3 mm ndls = 10 cm

RIB STITCH (RIB-ST)

Knit 1 in stitch on previous rnd/row

RIB PATTERN IN RND

Rnd 1: Work *k1, p1*, rep from *-* in the rnd.

Rnd 2: Work *1 rib-st, p1*, rep from *-* in the rnd.

Rep rnd 1 - 2.

RIB PATTERN BACK AND FORTH

Row 1: (= WS) 1 edge st, p1, *k1, p1*, rep from *-*, end with 1 edge st.

Row 2: (= RS) 1 edge st, *1 rib-st, p1*, rep from *-*, end with 1 rib-st and 1 edge st.

Rep row 1-2.

EDGE ST

Sl first st k-wise, hold yarn firmly and k last st.

BACK AND FRONT

With 2.5 mm circular ndl cast on (168) 184 (200) 216 (232) 248 sts. Join and work 3 cm ribbing k1, p1 in rnds.

Insert marker at each side as follows:

Insert marker around first st and around 1 k st at other side with (83) 91 (99) 107 (115) 123 sts between markers.

Change to 3 mm circular ndl.

Work rib pattern in rnds until garment meas (21) 23 (25) 27 (29) 29 cm, end with rnd 1 of pattern.

Insert marker around the middle front stitch = rib-st.

Next rnd: cast off the middle front st for beg of v-neck, and at the same time cast off (5) 5 (5) 9 (9) 9 sts at each side for armholes (= marked st + (2) 2 (2) 4 (4) 4 sts at each side of marker).

Work each part separately.

THE BACK

= (79) 87 (95) 99 (107) 115 sts.

Beg from WS and work rib pattern back and forth inside 1 edge st at each side until armhole meas (12) 13 (14) 16 (18) 20 cm.

Cast off for slanting shoulder at beg of every row 4 sts (3)5(1)3(1)3 times, 3 sts (5)3(9)7(11)9 times = (27) 29 (31) 33 (37) 39 sts cast off on each side.

Transfer rem (25) 29 (33) 33 (33) 37 sts to spare ndl for neckband.

RIGHT SIDE FRONT

= (39) 43 (47) 49 (53) 57 sts.

Beg from WS and work 3 rows rib pattern inside 1 edge st at each side.

From RS dec for v-neck as follows:

Work 1 edge st, 1 rib-st, p1, sl 1, k2tog, psso and work to end of row.

Rep dec every 12th row (5) 6 (7) 7 (8) 9 times more, at the same time cast off for slanting shoulder from armhole side (= from WS) at same length and in the same manner as the back.

LEFT SIDE FRONT

= (39) 43 (47) 49 (53) 57 sts.

Work in the same manner as right side, but dec for v-neck from RS as follows:

Work until 6 sts rem, k3tog, p1, 1 edge st, and cast off from armhole side at same length and in the same manner as the back.

The middle front st = marked st.

Work 2½ cm ribbing k1, p1, at the same time dec at each side of marked st on every rnd as follows:

Work until 1 st before marked st, sl 2 k-wise (as working k2tog), k1 and psso.

Cast off rib-wise suitable firm.

FINISHING

Sew tog shoulders inside 1 edge st for nice and even seam.

ARMHOLE BANDS

Beg at middle underarm, and with 2.5 mm double pointed ndls knit up sts as follows:

Knit up 1 st in each of the cast off underarm sts and knit up 1 st inside 1 edge st on back/front between each ridge (every other stitch/row). Knit 1 rnd, at the same time adjust number of sts to (74) 80 (86) 100 (112) 124.

Work (4) 4 (6) 6 (6) 6 rnds ribbing k1, p1 in rnds.

Cast off loosely rib-wise.

Work other armhole band in the same manner.

NECKBAND

Beg with sts for the back, and with 2.5 mm circular ndl knit up sts as follows:

Knit up approx 1 st in each st for the back, and knit up 1 st inside 1 edge st on back/front between each ridge (every other stitch/row) to approx (92) 100 (108) 120 (130) 142 sts.